# **IRON HUME**

CHELATED HUMIC/ FULVIC ACID MICRO-NUTRIENT

# FOR COMMERCIAL USE ONLY

#### **PRECAUTIONS**

Avoid getting in eyes or on skin. The use of side shield safety glasses and gloves is recommended. Harmful if swallowed. Avoid contact with eyes, skin, and clothing. If on skin, remove contaminated clothing. Wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water for 15 minutes. If irritation persists, obtain medical attention. See MSDS for further information.

#### DISCLAIMER

It is recommended not to use this product with fungicides or pesticides. However, if applied with a fungicide or pesticide, it is the users responsibility to conduct a trial application on the crop(s) to be sprayed with this mix of chemicals to determine compatibility of products and compatibility with crop(s) sprayed. When mixing with other spray materials a jar compatibility test is recommended.

#### CONDITIONS OF SALE

UAS of America Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on the label when used in accordance with directions under normal use conditions. Crop Injury, product use ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of UAS of America Inc. In no case shall UAS of America Inc., or it's be liable for consequential, special or indirect damages resulting from the use, handling, or shipping of this product. All such risk shall be assumed by the buyer /end user. UAS of America Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

## CAUTION: KEEP OUT OF REACH OF CHILDREN

Manufactured by:



534 CR 529A Lake Panasoffkee, FL 33538 (352)-793-1682 F001142 www.uas-cropmaster.com

Storage: Keep container sealed tightly when not in use. in temperatures between 5 C (41 F) and 25 C (77 F).

Do not expose to sunlight for long periods of time. Store

## **GUARANTEED ANALYSIS:**

Iron (Fe)...... 5.0% 5.0% Chelated Iron (Fe)

**Derived from: Chelated Iron Humate** 

**Non-Plant Food Ingredient:** 

Humic/Fulvic Acid...... 5.0%

Derived from: Fulvic Acid

### DIRECTIONS FOR USE:

ROW CROPS: 1-2 pt (s) per acre by foliar spraying the bottom and top of the leaves to the point of run off.

FRUIT TREES: 2-3 qt(s) per acre by foliar spraying the bottom and top of leaves to the point of run off.

\*Repeat as indicated visually or by leaf tissue test, or as part of a regular maintenance foliar feed program.\*

\*\*\*Highly concentrated DO NOT over apply, \*\*\* To ensure compatibility with foreign spray mixes, a jar compatibility test is recommended before mixing with other products other than water in the tank. Always fill tank with water first, then begin applying CROPMASTER products while tank is circulating "NEVER MIX CONCENTRATES DIRECTLY TOGETHER

Net Content: Size / Weight

2.5 gl/24.5 lbs 5 gl/49.05 lbs 30 gl/294.3 lbs 55 gl/539.6 lbs 275 gl/2,697.8 lbs