



SUPER 9-18-9™

Quality NPK for Blooming Stage

FOR COMMERCIAL USE ONLY

PRECAUTIONS

Avoid getting in eyes or on skin. The use of side shield safety glasses and gloves is recommended. Harmful if swallowed. Avoid contact with eyes, skin, and clothing. If on skin, remove contaminated clothing. Wash with large amounts of soap and water. If in eyes, rinse repeatedly with clean water for 15 minutes. If irritation persists, obtain medical attention. See MSDS for further information.

DISCLAIMER

It is recommended not to use this product with fungicides or pesticides. However, if applied with a fungicide or pesticide, it is the users responsibility to conduct a trial application on the crop(s) to be sprayed with this mix of chemicals to determine compatibility of products and compatibility with crop(s) sprayed. When mixing with other spray materials a jar compatibility test is recommended.

CONDITIONS OF SALE

UAS of America Inc. warrants that this product conforms to the chemical description on the label thereof and is reasonably fit for purposes stated on the label when used in accordance with directions under normal use conditions. Crop Injury, product use ineffectiveness, or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of UAS of America Inc. In no case shall UAS of America Inc. or it's be liable for consequential, special or indirect damages resulting from the use, handling, or shipping of this product. All such risk shall be assumed by the buyer /end user. UAS of America Inc. makes no warranties of merchantability or fitness for a particular purpose nor any other express or implied warranty except as stated above.

CAUTION: KEEP OUT OF REACH OF CHILDREN

Manufactured by:



534 CR 529A
Lake Panasoffkee, FL 33538
(352)-793-1682

www.uas-cropmaster.com
F001142



Product # 185

A LIQUID BIOLOGICAL N-P-K FORMULATION with a superior edge over the competition. We have added bio-stimulants to this hot mix homogenized NPK formulation. We also use only the best natural nontoxic food grade raw materials in this product. UAS of America standardizes its manufacturing process to go through a series of control steps to accomplish the end result. With each step we carefully monitor and do quality control tests to ensure that at all times the end result is the highest quality product. We also do quality checks on raw materials before formulation as safeguards. We have taken our industry into the future through our quality control testing of these products. With these inspections, we always guarantee the end user a uniform high quality product. Our biological NPK's includes a complement of Fish, Seaweed, Humic Acids, Vitamins B-1, B-12, Gibberellins, Indoles, Auxins, Regulators and Molasses. Each contains trace elements such as Boron, Iron, Zinc, Cobalt, Copper, Manganese, Molybdenum, and Sulfur.

Storage: Keep container sealed tightly when not in use. Do not expose to sunlight for long periods of time. Store in temperatures between 5 C (41 F) and 25 C (77 F).

GUARANTEED ANALYSIS:

- Total Nitrogen (N)..... 9.00%
- 5.67% Ammoniacal Nitrogen
- 3.33% Nitrate Nitrogen
- Available Phosphate (P2O5)..... 18.00%
- Soluble Potash (K2O)..... 9.00%
- Derived from: Orthophosphate Acid, Ammonium Phosphate, and Potassium Phosphate.

DIRECTIONS FOR USE:

Lawns/Turf: Apply at a rate of 1 quart per 4000 SQ. FT... Set hose end dial at 2oz per gallon. Apply every 3-5 weeks.

Ornamentals: 0.5 to 1oz Super 9-18-9 per gallon of water mix.(30 ml / liter) mist tops and bottoms of matured plant leaves. Use after blooming stage.

Row Crops : Mix 1-2 quart (3-4 liter / hectare). Super 9-18-9 with sufficient water to cover, per acre. Mist tops and bottoms of leaves. Moisten only to the point of run-off. (USE MINIMUM OF 5 GALLONS OF WATER (19 liters).) Apply after Fruit has changed color or is beginning to mature.

Tree Crops : Mix 1 gallon. (5 liters / ha) Super 9-18-9 with sufficient water to cover, per acre. Mist tops and bottoms of leaves. Moisten only to the point of run-off. (USE MINIMUM OF 50 GALLONS OF WATER (200 liters).) apply after fruit has changed color or is beginning to mature.

*Can be applied every two weeks until 10 days prior to harvest.

***Highly concentrated DO NOT over apply. *** To ensure compatibility with foreign spray mixes, a jar compatibility test is recommended before mixing with other products other than water in the tank. Always fill tank with water first, then begin applying CROPMASTER products while tank is circulating.

Net Content: Size / Weight

- 2.5 g/ 27.3 lbs
- 5 g/54.7 lbs
- 30 g/ 328.2 lbs
- 55 g/601.7 lbs
- 275 g/3,009 lbs

Dispose of Waste Material according to local, state, and federal environmental laws and regulations.